

A PRODUCT OF OUR LINE ULTRA⁺

Chemical protection at highest level,
with very best permeation properties

PFA ultra⁺



The material for this Fluoropolymer-coating, which will be applied with a specific method, is highly resistant against chemicals and acids, and has extraordinarily advantages, compared to common coating and lining systems:

- Seamless lining for almost all designs
- No welded joints
- Excellent bonding to substrate
- Compared with usual PFA outstanding features in permeation by using filler.
- Layer thickness from ~200 µm up to ~1.5 mm

- PFA ultra⁺** Exceptional, universal chemical resistance at high temperatures
- PFA ultra⁺** Excellent when proven under clean room conditions
- PFA ultra⁺** Also available in the electrically conductive version
- PFA ultra⁺** Locally repairable
- PFA ultra⁺** Solvent-resistant
- PFA ultra⁺** Easy to clean, excellent non-stick properties
- PFA ultra⁺** Low flammable
- PFA ultra⁺** Cold resistant
- PFA ultra⁺** Best permeation properties
- PFA ultra⁺** Suitable for vacuum
- PFA ultra⁺** FDA-compliant, electrically conductive version on demand

RUDOLF GUTBROD GmbH

Im Schwöllbogen 10, 72581 Dettingen/Erms, Germany, Tel. +49 (0)71 23 - 97 35-0
www.gutbrod-ptfe.de, e-mail: info@gutbrod-ptfe.de



member of

semi™

