


## A PRODUCT OF OUR LINE ULTRA<sup>+</sup>

Chemical protection at highest level,  
with very best permeation properties

# PFA ultra<sup>+</sup>



The material for this Fluoropolymer-coating, which will be applied with a specific method, is highly resistant against chemicals and acids, and has extraordinarily advantages, compared to common coating and lining systems:

- Seamless lining for almost all designs
- No welded joints
- Excellent bonding to substrate
- Compared with usual PFA outstanding features in permeation by using filler.
- Layer thickness from ~200 µm up to ~1.5 mm

- PFA ultra<sup>+</sup>** Exceptional, universal chemical resistance at high temperatures
- PFA ultra<sup>+</sup>** Excellent when proven under clean room conditions
- PFA ultra<sup>+</sup>** Also available in the electrically conductive version
- PFA ultra<sup>+</sup>** Locally repairable
- PFA ultra<sup>+</sup>** Solvent-resistant
- PFA ultra<sup>+</sup>** Easy to clean, excellent non-stick properties
- PFA ultra<sup>+</sup>** Non flammable
- PFA ultra<sup>+</sup>** Cold resistant
- PFA ultra<sup>+</sup>** Best permeation properties
- PFA ultra<sup>+</sup>** Suitable for vacuum
- PFA ultra<sup>+</sup>** FDA- and EU-compliant

### RUDOLF GUTBROD GmbH

Im Schwöllbogen 10, 72581 Dettingen/Erms, Germany, Tel. +49 (0)71 23 - 97 35-0  
www.gutbrod-ptfe.de, e-mail: info@gutbrod-ptfe.de

**eco**✓**adis**  
SUPPLIER SUSTAINABILITY RATINGS



member of

**semi**™

